

Outdoor/Indoor Infrared Heater

The Dimplex DSH series heaters are ideal for use in low lighting environments like restaurants and outdoor entertaining spaces. Reaching maximum heat in less than 3 seconds, this product provides premium comfort, while mirroring the quality of interior décor, outdoors.

BENEFITS

- IP65 rating for indoor and outdoor applications
- 1, 2 and 3 hour delay timer
- 8 hour auto shutoff safety mechanism
- 3 seconds maximum heat up time
- 3 temperature settings - 1000W [low], 1500W [med], 2000W [high]
- Corrosion resistant anodized aluminum and 304 stainless steel makes this product suitable for all climates
- Multiple heaters can be controlled with a single remote. Remote control included
- Each heater comes with the element pre-installed, which eases in installation and reduces the risk of damaged, broken or misplaced elements upon delivery


APPLICATIONS

Patios | Balconies | Outdoor Living Spaces | Sunroom | Gazebos | Common Areas


SPECIFICATIONS

Voltage	240V
Wattage	1000 - 2000W
Color	Stainless Steel
Finish	Aluminum
Heating Element	Golden tube heating element
Construction	Stainless Steel (304)
Controls & Wiring	Hardwire installation only. Unit has an auto shut off feature after 8 hours of operation
Installation	Surface-mount brackets included for wall installations
Warranty	1-year replacement parts

DIMENSIONS



Please note that the heat zone is just for a reference. The heating footprint always depends on the installation environment and height, air flow and ambient temperatures, voltage fluctuations, radiation angle, etc. Please consider all these factors in your planning.



Floor stand (suitable for installation with 1 or 2 heaters) and/or Ceiling mounting bracket (suitable for installation with 1 or 2 heaters) sold separately


Wall-mount bracket included

ORDERING GUIDE

Cat. No.	Installation	Watts	Volts	Weight lbs/kg (packaged)
DSH20W	Wall-mounted IR Heater	2000	240	8.3 / 3.8 (12.3 / 5.6)
DSHSTAND	Permanent Location Floor Stand			44.1 / 20.0 (46.3 / 21.0)
DSHCMB	Ceiling-mount bracket			1.1 / 0.5 (1.5 / 0.7)

HEAT AREA

Indoor Heating Area
- Wall-mounted
- Floor stand



Outdoor Heating Area
- Wall-mounted
- Floor stand

