Dimplex

Experience Better Living.





Index

Experience Better Living.

dex

Linear Ele	ectric Fireplaces		
NEW!	Ignite® Evolve	3-4	
	Ignite® Bold	5-6	
	Ignite XL®	7-8	
	Slim Linear	9-10	
	SIL	11-12	
	Specifications	13	
Hardwire	/ Plug-in Fireboxes		
	Revillusion [®]	15-16	
	BF Series	17-18	
	Nova Series	19-20	
	DF Series	21-22	
	Specifications	23	
Water Va	por Fireplaces		
NEW!	Optimyst [®] Linear	25-26	
	Optimyst® Cassettes	27-28	
	Optimyst® Pro Box	29-30	
	Optimyst® Accessories	31-32	
	Specifications	33	
Log Sets	& Inserts		
	Revillusion® Log Sets	35-36	
	DFI Inserts	37-38	
	Specifications	39	
Mantels			
	Featherston	41-42	
	Fieldstone	43-44	
	Royce	45-46	
Ordering	Ordering SKU Index 4		



Linear electric fireplaces offer a host of benefits that elevate the aesthetics and comfort of any space. Their stylish and sleek design, characterized by clean lines and customizable features, allows them to seamlessly blend into any décor. With their contemporary shape, they effortlessly accommodate the trend of hanging TV's above them, making them a perfect solution for family living spaces. Simply change the ember bed to dramatically transform the look and feel of a linear electric fireplace from ultra-modern to a more traditional, comforting ambiance.

Unlike wood or gas fireplaces, electric fireplaces require no maintenance, and can operate without heat for year-round enjoyment. They are safe for pets and children, as the fireplaces don't get hot to the touch.

©2023 Glen Dimplex Americas



IGNITE EVOLVE



Comfort & Aesthetic

Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.

Energy Efficiency


Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Complete Personalization

Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Ignite® Evolve Linear Electric Fireplaces





EVO50 50" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $51-1/2 \times 16-1/2 \times 5-7/8$ in $130.6 \times 41.9 \times 14.9$ cm

Carton Dimensions (WxHxD) 56-3/8 × 21-1/4 × 12 in 143.2 × 54.0 × 30.5 cm

Packaged Weight 73.9 lbs / 33.5 kg

UPC 781052151987

EVO60 60" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 61-1/2 × 16-1/2 × 5-7/8 in 156.0 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) 68-3/8 × 21-1/4 × 12 in 173.7 × 54.0 × 30.5 cm

Packaged Weight 86.8 lbs / 39.4 kg

UPC 781052151994

EVO74 74" Linear Electric Fireplace

embers and driftwood

Product Dimensions with trim (WxHxD) 75-1/2 × 16-1/2 × 5-7/8 in 191.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) 80-3/8 × 21-1/4 × 12 in 204.2 × 54.0 × 30.5 cm

Packaged Weight 104.7 lbs / 47.5 kg

UPC 781052152007

EVO100 100" Linear Electric Fireplace

effect

Product Dimensions with trim (WxHxD) $101-1/2 \times 16-1/2 \times 5-7/8$ in $257.6 \times 41.9 \times 14.9$ cm

Carton Dimensions (WxHxD) $106-3/8 \times 21-1/4 \times 12$ in $270.2 \times 54.0 \times 30.5$ cm

Packaged Weight 137.6 lbs / 62.4 kg

UPC 781052152014

Accessories (sold separately)



Metal Trim Kit

Allows for installation into 2" x 4" wall construction

EVO50 - XLFTRIM50 781052107953 EVO60 - XLFTRIM60 781052120075 EVO74 - XLFTRIM74 781052107977 EVO100 - XLFTRIM100 781052107984

©2023 Glen Dimplex Americas



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.













Ignite[®] Bold Linear Electric Fireplaces

A Bold Statement

Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.

Energy Efficiency

Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Design Versatility

Install the fireplace your way to fit your space.
Front-facing, right or left corner and bay, all in one box.







Product Dimensions with trim (WxHxD) $50-1/2 \times 23-7/8 \times 12-1/8$ in $128.4 \times 60.7 \times 30.7$ cm

Carton Dimensions (WxHxD) $55-1/2 \times 28-5/8 \times 16-3/4$ in $140.9 \times 72.7 \times 42.5$ cm

Packaged Weight 122.5 lbs / 55.5 kg

UPC 781052137226

XLF6017-XD 60" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 63-1/8 × 23-7/8 × 12-1/8 in 160.4 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD) $68-3/8 \times 28-5/8 \times 16-3/4$ in $173.7 \times 72.7 \times 42.5$ cm

Packaged Weight 146.8 lbs / 66.6 kg

UPC 781052137233

XLF7417-XD 74" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 75-5/8 × 23-7/8 × 12-1/8 in 192.2 × 60.7 × 30.7 cm

crystals with natural-

looking driftwood

Carton Dimensions (WxHxD) $80-1/4 \times 28-5/8 \times 16-3/4$ in $203.8 \times 72.7 \times 42.5$ cm

Packaged Weight 170.4 lbs / 77.3 kg

UPC 781052137257

XLF8817-XD 88" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $88-1/4 \times 23-7/8 \times 12-1/8$ in $224.1 \times 60.7 \times 30.7$ cm

backer to enhance

flame effect

Carton Dimensions (WxHxD) $93-1/4 \times 28-5/8 \times 16-3/4$ in $236.9 \times 72.7 \times 42.5$ cm

Packaged Weight 200.2 lbs / 90.8 kg

UPC 781052137264

XLF10017-XD 100" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 100-3/4 × 23-7/8 × 12-1/8 in 255.9 × 60.7 × 30.7 cm

viewing height

Carton Dimensions (WxHxD) $105-1/2 \times 28-5/8 \times 16-3/4$ in $268.0 \times 72.7 \times 42.5$ cm

Packaged Weight 221.7 lbs / 100.5 kg

UPC 781052137271

Accessories (sold separately)



Plug Kit

XLFXDPLUG

UPC 781052139527



Linking Kit

XLFXDLINK

UPC

781052139503




Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.









Classic Charm

Flickering flames and acrylic crystals create a stunning feature while providing ambiance to any room.


Energy Efficiency

Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Simple Comfort

Instantly transform your space into a cozy retreat with simple controls and zero hassles.





XLF50 50" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) $51-1/2 \times 16-1/2 \times 5-7/8$ in 130.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) $56-3/8 \times 21-1/4 \times 12$ in 143.2 × 54.0 × 30.5 cm

Packaged Weight 73.9 lbs / 33.5 kg

UPC 781052098725

XLF60 60" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) $61-1/2 \times 16-1/2 \times 5-7/8$ in 156.0 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) 68-3/8 × 21-1/4 × 12 in 173.7 × 54.0 × 30.5 cm

Packaged Weight 86.8 lbs / 39.4 kg

UPC 781052118478

XLF74 74" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) 75-1/2 × 16-1/2 × 5-7/8 in 191.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) 80-3/8 × 21-1/4 × 12 in 204.2 × 54.0 × 30.5 cm

Packaged Weight 104.7 lbs / 47.5 kg

UPC 781052098756

XLF100 100" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) $101-1/2 \times 16-1/2 \times 5-7/8$ in 257.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) 106-3/8 × 21-1/4 × 12 in 270.2 × 54.0 × 30.5 cm

Packaged Weight 137.6 lbs / 62.4 kg

UPC 781052104594

Accessories (sold separately)



Driftwood & River Rock Accessory Kit

XLF50 - LF50DWS-KIT 781052102842 XLF60 - LF74DWS-KIT 781052102859 XLF74 - LF74DWS-KIT 781052102859 XLF100 - LF100DWS-KIT 781052104617

©2023 Glen Dimplex Americas

Metal Trim Kit


Allows for installation into 2" x 4" wall construction

781052107953 781052120075 781052107977 XLF50 - XLFTRIM50 XLF60 - XLFTRIM60 XLF74 - XLFTRIM74 XLF100 - XLFTRIM100 781052107984



SLIMLinear Electric Fireplaces

SIM



Sleek Design

The tall, dazzling flames have an impressive height, and the patented Dimplex mirror effect provides the illusion of depth.


Clean Energy

No fuel or venting is required. All the energy supplied to the unit is converted into heat, which stays in the room to keep the space warm.

Flexible Installation

Can fit flush into 2x4 framing for simple installation or can be wall-mounted with minimal obtrusion thanks to its slim design.





PLF3614-XS 36" Slim Linear Electric Fireplace

Product Dimensions (WxHxD) $37-1/4 \times 19-1/2 \times 3-7/8$ in $94.6 \times 49.7 \times 9.9$ cm

Carton Dimensions (WxHxD) $46-1/2 \times 24-5/8 \times 9-1/2$ in $118.0 \times 62.5 \times 24.1$ cm

Packaged Weight 57.8 lbs / 26.2 kg

UPC 781052137318

PLF4214-XS 42" Linear Electric Fireplace

Product Dimensions (WxHxD) 43-1/4 × 19-1/2 × 3-7/8 in 109.8 × 49.7 × 9.9 cm

Carton Dimensions (WxHxD) $52 \times 24-5/8 \times 9-1/2$ in $132.0 \times 62.5 \times 24.1$ cm

Packaged Weight 64.8 lbs / 29.4 kg

UPC 781052137301

PLF5014-XS 50" Linear Electric Fireplace

Product Dimensions (WxHxD) 51-1/4 × 19-1/2 × 3-7/8 in 130.1 × 49.7 × 9.9 cm

Carton Dimensions (WxHxD) $60 \times 24-5/8 \times 9-1/2$ in $152.5 \times 62.5 \times 24.1$ cm

Packaged Weight 74.9 lbs / 34.0 kg

UPC 781052137295

PLF6014-XS 60" Linear Electric Fireplace

Product Dimensions (WxHxD) 61-1/4 × 19-1/2 × 3-7/8 in 155.5 × 49.7 × 9.9 cm

Carton Dimensions (WxHxD) $70 \times 24-5/8 \times 9-1/2$ in $176.8 \times 62.5 \times 24.1$ cm

Packaged Weight 87.1 lbs / 39.5 kg

UPC 781052137288

Accessories (sold separately)



Plug Kit PLFXSPLUG

UPC 781052139534





Total Control


For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



10

Key Benefits

▼Dimplex®



Interchangeable **Design**

Transform the ambiance by customizing the look and feel of the fireplace at any time with different included ember beds.

Customizable Installation


Seamlessly integrate a fireplace into any room, with any of the three installation options that provide the perfect solution for everyone. with ease.

Effortless Comfort

Simply plug the fireplace in and instantly envelop a space in warmth and relaxation, creating a cozy haven to enjoy

Linear Electric Fireplaces





SIL48 48" Linear Electric Fireplace

Product Dimensions (WxHxD) 48 × 19-1/2 × 5-1/4 in 121.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD) 53-3/8 × 22-7/8 × 9-5/8in 135.6 × 57.9 × 24.4 cm

Packaged Weight 59.1 lbs / 26.8 kg

UPC 781052132733

SIL60 60" Linear Electric Fireplace

Product Dimensions (WxHxD) 60 × 19-1/2 × 5-1/4 in 152.4 × 49.5 × 13.2 cm

Carton Dimensions (WxHxD) $65-3/4 \times 23-1/2 \times 9-5/8$ in $167.0 \times 62.0 \times 24.4$ cm

Packaged Weight 87.1 lbs / 39.5 kg

UPC 781052132757

SIL72 72" Linear Electric Fireplace

Product Dimensions (WxHxD) 72 × 19-1/2 × 5-1/4 in 182.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD) $77-3/4 \times 24-3/4 \times 9-5/8$ in $197.5 \times 62.0 \times 24.4$ cm

Packaged Weight 100.3 lbs / 45.5 kg

UPC 781052132764



Included stand allows for tabletop installation.

Product with stand

21-1/2 po (54,6 cm) tall, 11 po (27,9 cm) deep

Featuring Optiflame technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



Linear Electric Fireplace Specifications

Series	Ignite Bold Series	Ignite Evolve Series	Ignite XL® Series	Slim Linear	SIL Series
Size	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"	36", 42", 50", 60"	48", 60", 72"
Ember Bed	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals	Acrylic Crystals	Interchangeable - Logs, Acrylic Crystals, Pebbles
Ember Bed Themes Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness
Flame Color Themes Brightness	7 Themes Adjustable Brightness	7 Themes Adjustable Brightness	1 Theme	7 Themes Adjustable Brightness	8 Themes Adjustable Brightness
Top Light	•				
Flame Effect	Multi-Fire®	Multi-Fire®	Multi-Fire®	Dimplex®	High contrast
Flame Technology	Optiflame®	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Flame Speed	5	5		5	
Flame Only Mode	•	•	•	•	•
Heater Only Mode	•	•	•	•	
Air Circulation	•	•			
Heat Operation	Heat Operation (Comfort\$aver® heating system		Powerful supplemental heating
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.
Heat Disable	Onboard controls or Hardware disconnect		onnect	Onboard controls or Hardware disconnect	Onboard Controls Only
Built-in Thermostat	•	•	•	•	•
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (120V Plug Kit Sold Separately)	Plug-in
Volts	120 240	120 240	120 240	120	120
Watts	1500 2500	1500 2500	1500 2500	1500	1400
BTU	5118 8530	5118 8530	5118 8530	5118	4777
Operating Controls	rols Hidden touch controls Hidden touch controls Remote Remote		Hidden touch controls Remote	Hidden touch controls Remote	Touch controls Remote
Flame Connect App	•	•		•	
Self Diagnostics	•	•		•	
Display	•	•	•	•	•
Timer			•	•	•
Installation Options	Fully recessed - front, right/left corner and bay. Linking Kit - to connect multiple units	Fully recessed - 2×6, 2×4 with trim-I		Fully recessed - 2×4, Wall-mount	Fully recessed Wall-mount, Free-standing
Optional Accessories	Modular Linking Kit, Plug Kit	Trim Kit	Driftwood & River Rock Kit, Trim Kit	Plug Kit	
Warranty	5-year parts and service	5-year parts and service	5-year parts and service	2-year parts and service	1-year parts

13 dimplex.com



Electric fireboxes present a multitude of advantages that make them an ideal choice for enhancing any living space. Their versatile installation options allow them to seamlessly fit into an existing hearth space or be incorporated into custom-built mantels; offering a quick and hassle-free solution to add both warmth and ambiance into your home. These fireplaces complement any design style with multiple options for ember beds from traditional to contemporary to suit any décor style.

Enjoy the comforting glow of a traditional fire without the maintenance hassles of wood or gas fireplaces. Electric fireboxes are a safe choice for children and pets, as they remain cool to the touch. Run them year-round, with or without heat, ensuring a cozy atmosphere in any season.

©2023 Glen Dimplex Americas

Revillusi ()n°



RevillusionBuilt-in Electric Firebox

Timeless Aesthetic

The ageless appeal of the fireplace creates an authentic, everlasting impression.

Design with Style

Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic.

Complete Perspective

Enjoy a full-depth view of the fireplace with the ability to see clearly through the flames.










Weathered Concrete

Herringbone

What's in the box



Firebox

Tempered Front Glass

RBF Plug Kit

RBF24DLX (Herringbone) RBF24DLXWC (Concrete) 24" Electric Firebox

Product Dimensions (WxHxD) 25-1/4 × 22-7/8 × 12-1/8 in 64.0 × 58.1 × 30.8 cm

Carton Dimensions (WxHxD) $29-3/8 \times 27-1/2 \times 16-5/8$ in $74.4 \times 69.9 \times 42.1$ cm

Packaged Weight 58.2 lbs / 26.4 kg

UPC

781052120655 - Herringbone 781052129832 - Concrete

500002388 (Herringbone) **500002389** (Concrete) 30" Electric Firebox

Product Dimensions (WxHxD) $31-1/8 \times 26-5/8 \times 12-1/8$ in $79.2 \times 67.6 \times 30.8 \text{ cm}$

Carton Dimensions (WxHxD) $35-1/4 \times 31-3/4 \times 16-3/8$ in 89.4 × 80.5 × 41.1 cm

Packaged Weight 84.9 lbs / 38.5 kg

UPC

781052152120 - Herringbone 781052152137 - Concrete

500002400 (Herringbone) **500002401** (Concrete) 36" Electric Firebox

Product Dimensions (WxHxD) $37-1/8 \times 26-5/8 \times 12-1/8$ in $94.4 \times 67.6 \times 30.8 \text{ cm}$

Carton Dimensions (WxHxD) 41-3/8 \times 31-3/4 \times 15-1/4 in 104.7 \times 80.6 \times 38.7 cm

Packaged Weight 93.7 lbs / 42.5 kg

UPC

781052152144 - Herringbone 781052152151 - Concrete

500002398 (Herringbone) **500002399** (Concrete) 36" Portrait Electric Firebox

Product Dimensions (WxHxD) 37-1/8 × 31 × 12-1/8 in 94.4 × 78.8 × 30.8 cm

Carton Dimensions (WxHxD) $41-3/8 \times 35-1/2 \times 16-3/8$ in $105.0 \times 90.7 \times 41.1$ cm

Packaged Weight 105.5 lbs / 47.9 kg

UPC

781052152168 - Herringbone 781052152175 - Concrete

500002410 (Herringbone) **500002411** (Concrete) **42" Electric Firebox**

Product Dimensions (WxHxD) $43-1/4 \times 31 \times 12-1/8$ in $109.8 \times 78.8 \times 30.8$ cm

Carton Dimensions (WxHxD) $47-1/2 \times 36-1/2 \times 16-3/8$ in 120.6 × 91.2 × 341.1 cm

Packaged Weight 112.7 lbs / 51.1 kg

781052152182 - Herringbone 781052152199 - Concrete


Accessories (sold separately)



Model #	Trim Width	Firebox Size
Wodel #	IIIIII WIGHT	I IIEBUX SIZE
RBF24TRIM36 UPC - 781052123595	36"	24"
RBF24TRIM40 UPC - 781052123618	40"	24"
RBF30TRIM38 UPC - 781052123625	38"	30"
RBF30TRIM44 UPC - 781052123601	44"	30"



▼Dimplex®



Classic Elegance

The fireplace heating and design elements work together to provide a welcoming environment.

Traditional Design

The full brick interior brings the warmth and comfort of a traditional fireplace into your home.

Intuitive Operation

Simple-to-use controls ensure a hassle-free and enjoyable fireplace experience.

BF Series Built-in Electric Firebox





BFSL33 33" Slim Line Electric Firebox, with trim kit

Product Dimensions (WxHxD) $35-3/4 \times 29-7/8 \times 9-7/8$ in 90.7 × 75.8 × 25.0 cm

Carton Dimensions (WxHxD) $35-3/4 \times 29-7/8 \times 9-7/8$ in $90.7 \times 75.8 \times 25.0 \text{ cm}$

Packaged Weight 68 lbs / 30.9 kg

UPC

781052064478



BF33DXP 33" Deluxe **Electric Firebox**

Product Dimensions (WxHxD) $32-7/8 \times 28-1/2 \times 14-3/8$ in 83.0 × 72.4 × 36.3 cm

Carton Dimensions (WxHxD) $33-1/8 \times 31-1/2 \times 9-1/2$ in 84.1 × 80.0 × 42.6 cm

Packaged Weight 79.4 lbs / 36.1 kg

UPC

781052045781



BF39STP 39" Standard **Electric Firebox**

Product Dimensions (WxHxD) $38-3/4 \times 32-3/4 \times 15-3/8$ in $98.4 \times 83.1 \times 39.1 \text{ cm}$

Carton Dimensions (WxHxD) $39 \times 34 - 1/2 \times 17 - 1/2$ in 99.1 × 87.6 × 44.5 cm

Packaged Weight 89.7 lbs / 40.7 kg

UPC 781052045798



BF39DXP 39" Deluxe **Electric Firebox**

Product Dimensions (WxHxD) $38-3/4 \times 32-3/4 \times 15-1/4$ in 98.4 × 83.2 × 36.2 cm

Carton Dimensions (WxHxD) 40 × 34-1/2 × 17-1/2 in 101.6 × 87.6 × 44.5 cm

Packaged Weight 87 lbs / 39.5 kg

UPC 781052045804



BF45DXP 45" Deluxe **Electric Firebox**

Product Dimensions (WxHxD) 44-3/4 × 32-3/4 × 15-3/8 in 113.7 × 83.2 × 38.9 cm

Carton Dimensions (WxHxD) $45-3/4 \times 35-1/2 \times 17-1/2$ in 116.2 × 90.2 × 38.9 cm

Packaged Weight 106.5 lbs / 48.3 kg

UPC 781052052390

Accessories (sold separately)



Bi-fold Look Glass Door

Model#	Firebox
BFDOOR33BLKSM	BF33DXP UPC - 781052041233
BFDOOR39BLKSM	BF39STP & BF39DXP UPC - 781052041257
BFDOOR45BLKSM	BF45DXP UPC - 781052041271



BFPLUGE Plug Kit, includes 7 ft. cord

UPC 781052040748




Tamperproof Glass Door				
Model #	Firebox			
BFSL33DOOR	BFSL33 UPC - 781052063778			
BFGLASS33BLK	BF33DXP UPC - 781052044623			
BFGLASS39BLK	BF39STP & BF39DXP UPC - 781052044630			
BFGLASS45BLK	BF45DXP UPC - 781052044647			



3-stage Remote Control Kit (included with BFSL33)

UPC 781052040687



Swing Glass Door

3			
Model #	Firebox		
BFSDOOR33BLK	BF33DXP UPC - 781052044593		
	DESOCTO & DESOUVE		

BFSDOOR39BLK BF39STP & BF39DXP UPC - 781052944609



Trim Kit				
Model#	Firebox			
BF4TRIM33	BF33DXP UPC - 781052052932			
BF4TRIM39	BF39STP & BF39DXP UPC - 781052052956			
BF4TRIM45	BF45DXP LIPC - 781052052970			









Quick Comfort

Simply plug-in and enjoy the flickering flames and cozy warmth.

Elevate Ambiance

Have your choice of ember beds to enhance your aesthetic, complementing a wide range of design styles.

Adaptable Installation

Retrofit into an existing fireplace or construct a custom fireplace surround or mantel to achieve your desired look.

Nova SeriesPlug-in Electric Firebox





XHD23L (Realogs®) XHD23G (Acrylic Crystals) 23" Electric Firebox

Product Dimensions (WxHxD) 23 × 20-1/2 × 7-1/2 in 58.4 × 52.0 × 19.1 cm

Carton Dimensions (WxHxD) $25-5/8 \times 24 \times 10-5/8$ in $65.0 \times 61.0 \times 27.0$ cm

Packaged Weight 23 lbs / 10.4 kg

UPC

781052115125 - Realogs 781052115118 - Acrylic Crystals



XHD26L (Realogs®) XHD26G (Acrylic Crystals) 26" Electric Firebox

Product Dimensions (WxHxD) 26 × 18-7/8 × 7-1/2 in 66.0 × 47.9 × 19.1 cm

Carton Dimensions (WxHxD) $28-1/2 \times 22-1/2 \times 10-5/8$ in $72.5 \times 57.0 \times 27.0$ cm

Packaged Weight 25 lbs / 11.3 kg

UPC

781052110823 - Realogs 781052110816 - Acrylic Crystals



XHD28L (Realogs®) XHD28G (Acrylic Crystals) 28" Electric Firebox

Product Dimensions (WxHxD) 27-3/8 × 23-1/2 × 7-1/2 in 69.5 × 59.7 × 19.1 cm

Carton Dimensions (WxHxD) 30 × 26-7/8 × 11-1/8 in 76.0× 68.0× 28.0 cm

Packaged Weight 32 lbs / 14.5 kg

UPC

781052110847 - Realogs 781052117907 - Acrylic Crystals



XHD33L (Realogs®) XHD33G (Acrylic Crystals) 33" Electric Firebox

Product Dimensions (WxHxD) 33-1/8 × 23-1/4 × 7-1/2 in 84.1 × 59.0 × 19.1 cm

Carton Dimensions (WxHxD) $35-5/8 \times 26-7/8 \times 11-1/8$ in $90.5 \times 68.0 \times 28.0$ cm

Packaged Weight 38.6 lbs / 17.5 kg

UPC

781052131217 - Realogs 781052131224 - Acrylic Crystals



Realogs®

Acrylic Crystals





▼Dimplex®



Authentic Atmosphere

Lifelike flames and inner glow logs molded from real wood evoke the charm of a traditional hearth.

Versatile Installation

Craft your dream design with a custom fireplace surround or mantel, or seamlessly retrofit it into an existing hearth space.

Quick Comfort

Simply plug-in and enjoy the flickering flames and cozy warmth.

DF Series Plug-in Electric Firebox





Patented Inner Glow Logs



Multi-function remote

DF3033ST 33" Plug-in Electric Firebox

Product Dimensions (WxHxD) 33-1/8 × 23-3/8 × 9-5/8 in 84.1 × 59.4× 24.2 cm

Carton Dimensions (WxHxD) 37-1/4 × 27-5/8 × 13 in 94.2 × 70.1× 33.0 cm

Packaged Weight 60.4 lbs / 27.5 kg

UPC 781052054271





Electric Firebox Specifications

Series	Revillusion Deluxe	Revillusion	BFSL Series	BF Series	Nova Series	DF Series
Size	24"	30", 36", 36"P, 42"	33"	33", 39", 45"	23", 26", 28", 33"	30", 33"
Ember Bed	Real	ogs®	Inner Glow Logs	Inner Glow Logs	Acrylic Crystals, Realogs®	Inner Glow Logs
Ember Bed Color Settings	•	•			•	
Interior Surround	Herringl Weathered Co		Black	Black, Authentic brick-look interior	Black	Brick-look Black/3D Mirror
Flame Effect	Revillusio	n® Flame	Original Dim		plex [®] Flame	
Flame Technology	Optiflame [®]	Optiflame [®]	Optiflame [®]	Optiflame®	Optiflame [®]	Optiflame®
Flame Speed	•				•	•
Flame Only Mode	•	•	•	•	•	•
Light Settings	Mood Lighting, Brig Ambient Lig				Adjustable Brightness	Adjustable brightness
Heat Operation	Comfort\$aver®		werful Supplemental H se 240V supply for up t		Supplem	ental Heat
Heating Range	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 400 sq. ft.
Heater Only Mode	•	•	When connected to a	a switch or thermostat	•	•
Heater Element	Ceramic	Steel Sheathed	Steel S	heathed	Stitched Wire	Stitched Wire
Heat Disable	Onboard controls or	hardwire disconnect	Hardwire dis	sconnect only	Onboard controls	On remote control
Built-in Thermostat	•	•			•	
Connects to a Wall Thermostat			•	•		
Wiring Type	Hard (Optional 120V P			dwire Plug Kit Included)	Plug-in	Plug-in
Volts	120	120 / 208 / 240	120 / 208 / 240	120 / 208 / 240	120	120
Watts	1500	1375 / 1975 / 2575	1223 / 1823 / 2423	1440 / 2100 / 2700	1465	780 1500
BTU	5118	4400 / 6745 / 8794	4173 / 6220 / 8267	4913 / 7165 / 9213	5000	2660 5118
Display	•	•			•	On remote control
Onboard Controls	Hidden-Touch Controls	Hidden-Touch Controls	Toggle	Toggle	Hidden-Touch Controls	Toggle
Timer	•	•			•	•
Optional Accessories	•	30" only	•	•	XHD26/28G only	
Remote Control	•	•	•		•	•
Warranty Include parts/ service	2-year limited	2-year limited	2-year limited	2-year limited	2-year limited	5-year limited

23 dimplex.com



Elevate the fireplace experience to unprecedented heights with the cutting-edge technology of

Water vapor fireplaces. These innovative fireplaces utilize water and LED lights to craft a truly immersive 3D flame that convincingly mimics the authenticity of genuine wood or gas fires. The pinnacle of true luxury, providing a choice between a pre-built box for effortless installation – just connect to a water and electric source – or cassettes that grant you complete customization in design and orientation. You can even connect multiple cassettes together to create a fully custom dramatic focal piece that transforms your space into a work of art.

The ability to reach out and touch the flames without risk of burning yourself sets this product apart from traditional wood or gas fires. Vapor fireplaces are an incredibly safe option for any space with no noxious gas emissions and cool to the touch flames. Water vapor fireplaces provide stunning realism with simple and inexpensive maintenance, making them the perfect fireplace solution.

©2023 Glen Dimplex Americas 24



Öptimyst° Linear



Optimyst® Linear Vapor Fireplace

Breathtaking Ambience

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & **Sustainable**

Optimyst requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Unparalleled Experience

You'll have a completely unique fire experience through personalization options; no flame shape is the same.





OLF46-AM Optimyst®46" Linear Vapor Fireplace

Product Dimensions (WxHxD) 47-1/2 × 31-1/2 × 11-7/8 in 120.6 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD) 50-3/8 × 34-3/8 × 15-1/2 in 127.8 × 87.1 × 39.1 cm

Packaged Weight 150.3 lbs / 68.2 kg

UPC 781052136786

OLF66-AM Optimyst® 66" Linear Vapor Fireplace

Product Dimensions (WxHxD) $67-1/2 \times 31-1/2 \times 11-7/8$ in $171.4 \times 80.0 \times 30.0$ cm

Carton Dimensions (WxHxD) 70-3/8 × 34-3/8 × 15-1/2 in 178.6 × 87.1 × 39.1 cm

Packaged Weight 204.8 lbs / 92.9 kg

UPC 781052136793

OLF86-AM Optimyst® 86" Linear Vapor Fireplace

Product Dimensions (WxHxD) 87-1/2 × 31-1/2 × 11-7/8 in 222.2 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD) 90-3/8 × 34-3/8 × 15-1/2 in 229.4 × 87.1 × 39.1 cm

Packaged Weight 264.5 lbs / 120 kg

UPC 781052136809



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.




Accessories

(sold separately, see Page 32)

©2023 Glen Dimplex Americas



Öptimyst Cassette



Optimyst® Cassette Vapor Fireplace

Stunning Atmosphere

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & **Sustainable**

Optimyst Cassette requires no fuel or venting as it runs on water and electricity.

Limitless Installation

With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.





CDFI500-PRO Optimyst° 500 Cassette

Product Dimensions (WxHxD) 20×9 -1/2 \times 12 in $50.8 \times 24.1 \times 30.5$ cm

Carton Dimensions (WxHxD) $24-3/8 \times 13-7/8 \times 17-3/4$ in $62.0 \times 34.0 \times 45.0$ cm

Packaged Weight 24.2 lbs / 10.9 kg

UPC 781052113053

Accessories

(sold separately, see Page 32)

©2023 Glen Dimplex Americas



1000 Cassette Product Dimensions (WxHxD)40-1/8 × 9-1/2 × 12 in 101.8 × 24.1 × 30.3 cm

Carton Dimensions (WxHxD) $44-1/2 \times 13-3/8 \times 18-1/8$ in $113.0 \times 34.0 \times 46.0$ cm

Packaged Weight 35 lbs / 15.87 kg

UPC 781052112612

Featuring Optimyst technology. The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.



Öptimyst° Pro Box



Captivating Ambiance

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst Pro Box requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Seamless Design

The pre-built box simplifies the $in stall at ion\ without$ compromising on design.

Optimyst® Pro Box Vapor Fireplace



GBF1500-PRO

UPC 781052133754

60" Built-In Electric Fireplace, Includes the following:



CDFI-BX1500 Optimyst 1500 Box

Product Dimensions (WxHxD) $65 \times 31-3/4 \times 16-1/4$ in $165.0 \times 80.5 \times 41.2$ cm

Carton Dimensions (WxHxD) $68-3/4 \times 36-3/4 \times 18-1/8$ in $174.5 \times 93.5 \times 46.0$ cm

Packaged Weight 111.5 lbs / 50.6 kg

UPC

781052133709

FG1500 Front Glass

Product Dimensions (WxHxD) 60-3/4 × 15-1/4 × 1-5/8 in 154.4 × 38.8 × 4.1 cm

Carton Dimensions (WxHxD) $71-3/8 \times 21-5/8 \times 5-1/4$ in $181.5 \times 55.0 \times 13.5$ cm

Packaged Weight 28.4 lbs / 12.88 kg

UPC 781052133716



CDFI1000-PRO Optimyst 1000 Cassette

See page 28 for specifications.



CDFI500-PRO Optimyst 500 Cassette

See page 28 for specifications.

Rear Glass Pane

* Above image shows product used with rear glass, sold separately, see page 32.

GBF1000-PRO

UPC 781052113022 40" Built-In Electric Fireplace, **Includes the following:**



CDFI-BX1000 Optimyst 1000 Box

Product Dimensions (WxHxD) $46-5/8 \times 31-3/4 \times 16-1/4$ in $118.4 \times 80.5 \times 41.2$ cm

Carton Dimensions (WxHxD) $48-1/2 \times 37 \times 18-1/8$ in $123.0 \times 94.0 \times 46.0$ cm

Packaged Weight 81.4 lbs / 37 kg

UPC 781052110618



FG1000 Front Glass

Product Dimensions (WxHxD) 40-5/8 × 14-1/2 × 1-5/8 in 103.0 × 36.8 × 4.1 cm

Carton Dimensions (WxHxD) 50-5/8 × 20-7/8 × 5-1/8 in 128.5 × 53.0 × 13.0 cm


Packaged Weight 19.6 lbs / 8.9 kg

UPC 781052118379



CDFI1000-PRO Optimyst 1000 Cassette


See page 28 for specifications.




Accessories

(sold separately, see Page 32)

©2023 Glen Dimplex Americas



Optimyst°



Optimyst® Accessories Vapor Fireplace

Customizable Style

Choose from a selection of optional ember beds to create the Optimyst fireplace of your dreams.

Easy Installation

Add a plug kit or plumb kit to make installing the Optimyst Vapor Fireplaces simple.

Additional Warmth

Pair the Optimyst Cassettes with an accessory heater to add warmth in any space.



Rear Glass Pane

Allows for see-through installations for GBF1000-PRO & GBF1500-PRO



GBF1000-GLASS UPC 781052116979

GBF1500-GLASS UPC 781052133723

Direct Plumbing Kit



CDFIPLUMB-KIT UPC 781052103221



Black Rock CDFI500-BLKRCK UPC 781052120983

CDFI1000-BLKRCK UPC 781052121065



River Rock

CDFI500-RVRCK

UPC 781052121003

CDFI1000-RVRCK UPC 781052121072

CDFI1500-RVRCK UPC 781052133785

Log Kits



CDFILOGUPC 781052103238

For (**CDFI1000**) Optimyst® 1000 Electric Fireplace Cassette - order 2 Log Sets

For (**CDFI1500**) Optimyst® 1500 Electric Fireplace Cassette - order 3 Log Sets



Driftwood CDFI500-DWSKIT UPC 781052121034

CDFI1000-DWSKIT UPC 781052121027

Heater



CDFI-TMHEATHardwire Heater Accessory
UPC
781052121058

Plug Kits



CDFI-PLUGKIT UPC 781052105591



OLFPLUGFor Optimyst Linear Vapor Fireplaces **UPC**781052146396






Vapor Fireplace Specifications

Series	Optimyst® Linear	Optimyst® Pro Built-in Fireplace	Optimyst® Cassette
Size	46", 66", 86"	40", 60"	20", 40"
Ember Bed	Lifelike Driftwood with Acrylic Crystals		
Flame Color Themes Brightness	8 Themes Adjustable Brightness		
Top Light	•		•
Flame Effect	Optimyst® Flame effect	Optimyst® Flame effect	Optimyst® Flame effect
Flame Technology	Optimyst [®]	Optimyst [®]	Optimyst [®]
Crackling Sound Effect	•	•	•
Flame Only Mode	•	•	•
Air Circulation	•		
Heat Operation	Comfort\$aver® heating system	Supplemental heating	Heat-free (Optional Heater Accessory available)
Heating Range	1000 sq. ft.	400 sq. ft.	
Heat Disable	Onboard controls or Hardware disconnect	Manual	
Built-in Thermostat	•		
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire(120V Plug kit sold separately)	Hardwire (120V Plug kit sold separately)
Volts	120 240	120	120
Watts	46" = 1220 920 66" = 1480 2180 86" = 1020 (flame only) 2400	40" = 1460 60" =1490	230 460
вти	46" = 4163 6551 66" = 5050 7438 86" = 3480 (flame only) 8189	40" = 4984 60" = 5087	20" = 785 40" = 1569
Operating Controls	Hidden touch controls Remote	Membrane controls Remote	Membrane controls Remote
Flame Connect App	•		
Self Diagnostics	•	•	•
Display	•		
Timer	•		
Installation Options	Fully recessed	One-sided or Double-sided	Fully customizable
Direct Plumbing	Hard Plumb	Hard Plumb Refillable Bottles	Hard Plumb Refillable Bottles
Optional Accessories	Plumb Kit, Plug Kit	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Rear Glass	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Heater
Warranty	2-year parts and service	2-year parts and service	2-year parts and service
Viewing Dimensions (WxH)	46" (OLF46-AM) 44-1/4 × 14-3/8 in 112.4 × 36.3 cm 66" (OLF66-AM) 64-1/4 × 14-3/8 in 163.1 × 36.3 cm	40" (GBF1000-PRO) 37-3/4 × 16-1/4 in 96.0 × 41.3 cm 60" (GBF1500-PRO) 58 × 16-1/4 in	
	66" (OLF66-AM) 84-1/4 × 14-3/8 in 213.8 × 36.5 cm	147.4 × 41.3 cm	

33 dimplex.com




Electric log sets and inserts offer advantages for those seeking an easy and cost-effective way to enjoy the look of a traditional wood-burning fire without the hassle. These fireplaces are convenient to install and the perfect solution for those looking to revive the charm of an existing hearth space with a realistic and efficient fireplace.

Simply remove from the box, set into your space, plug in, and enjoy the cozy atmosphere instantly.

©2023 Glen Dimplex Americas 34

RevillusionPlug-in Electric Log Sets

Revillusi()n



Artful Design

Realistic flames, and quality crafted logs come together to create an illusion of a true burning fire.

Complete Perspective

Enjoy a full-depth view to the back of the hearth with the ability to see clearly through the flames.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.





RLG20 20" Revillusion® Log Set **UPC** 781052104709

Optional ash mat (not included) REM-KIT




RLG25 25" Revillusion® Log Set UPC 781052104686

Accessories (sold separately)



REM-KIT Ember bed for RLG20 UPC 781052106185





Reclaimed Charm

Revitalize an existing hearth space with the flicker of lifelike flames and the warmth of modern convenience.

Seamless Installation

With virtually no setup required, effortlessly incorporate a fireplace into your space.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.

DFI SeriesPlug-in Electric Log Inserts





DFI2309 23" Electric Fireplace Insert **UPC** 781052038677



DFI231023" Electric Fireplace Insert **UPC** 781052049406

Accessories (sold separately)



DFI23TRIMXTrim Kit for
DFI2309 & DFI2310 **UPC** 781052039285





Log Set and Insert Specifications

Series	Revillusion Log Set	Revillusion Log Set	DFI Insert	DFI Insert	
Model	RLG20	RLG25	DFI2309	DFI2310	
Firebox Size	20"	25"	23"	23"	
Ember Bed	Realogs®	Realogs®	Lifelike Logs	Inner Glow Logs	
Brightness & Flicker	•	•			
360° Light	•	•			
Colour Settings		Adjust the flame base color to red or blue			
Flame Only	•	•		•	
Heat Only	•	•		•	
Heater Element	Ceramic	Ceramic	Steel Sheathed	Steel Sheathed	
Heat Operation	Supplemental heating	Supplemental heating	Supplemental heating	Supplemental heating	
Flame Technology	Revillusion	Revillusion	Dimplex	Dimplex	
Flame Effect	Optiflame	Optiflame	Optiflame	Optiflame	
Installation	Masonry Log Set	Masonry Log Set	Masonry Insert	Masonry Insert	
Volts	120	120	120	120	
Wattage	1500	1500	1375	1375	
BTU	5118	5118	4695	4695	
Wiring	Plug-in	Plug-in	Plug-in	Plug-in	
Heating Range	1,000 sq. ft.	1,000 sq. ft.	400 sq. ft.	1,000 sq. ft.	
Display/Controls	Membrane Remote	Membrane Remote	Switch Remote	Switch Remote	
Remote Features	Multi-function	Multi-function	On/Off	On/Off	
Warranty	1-year limited	2-year limited	1-year limited	1-year limited	
Accessories	Ash Mat		Trim Kit	Trim Kit	
Dimensions (WxHxD)	23-3/4 × 19 × 12-1/2 in 60.3 × 48.2 × 31.7 cm	25-5/8 × 19 × 13 in 65.0 × 48.2 × 32.9 cm	23-1/4 × 19-1/2 × 10-3/4 in 58.9 × 49.5 × 27.0 cm	23-1/4 × 19-1/2 × 10-3/4 in 58.9 × 49.5 × 27.0 cm	

39 dimplex.com



Electric fireplace mantels offer a blend of style and practicality that can transform any living space. These fireplaces are incredibly convenient to install and come in multiple designs and finishes to blend seamlessly with any décor. Fireplace mantels combine the timeless charm of a mantel with the modern convenience of electric heating, making them a popular choice for homeowners seeking both ambiance and functionality in their spaces.

The electric fireplaces within the mantel require no maintenance and offer the flexibility to run year-round with or without heat. They also ensure the safety of everyone around them, especially pets and children, as they remain cool to the touch.



Realistic Charm

The faux ledgerock finish, combined with rustic pine accents create the perfect addition to both traditional and modern styles.

Cozy Aesthetic

With its flickering flames and adjustable warmth, create an ambiance that invites relaxation and comfort into any space.

Simple Comfort

Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.

Featherston Electric Fireplace Mantel





GDS28L8-1152LR

Featherston Electric Fireplace Mantel

Product Dimensions (WxHxD) 61 × 44 × 15-5/8 in 155.0 × 111.7 × 39.5 cm

Carton Dimensions (WxHxD) 63-7/8 × 14-3/4 × 24-1/8 in 162.3 × 37.3 × 61.2 cm

Packaged Weight 178.2 lbs / 80.8 kg

UPC 781052122666



Includes:

XHD28L 28" Nova Firebox


Product Dimensions (WxHxD) 27-3/8 × 23-1/2 × 7-1/2 in 69.5 × 59.7 × 18.9 cm

Carton Dimensions (WxHxD) 30 × 26-7/8 × 11-1/8 in 76.0 × 68.0 × 28.0 cm

Packaged Weight 36.5 lbs / 16.6 kg

UPC 781052110847

Mantel and firebox ships in two cartons



Rustic Charm

Bring the feeling of a cozy, rustic retreat into any space by recreating the look of a traditional stone mantel with wood accents.


Commanding Centerpiece

With its impressive design and mesmerizing flames, create the focal point in any room.

Simple Comfort

Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.

Fieldstone Electric Fireplace Mantel





GDS28L8-904ST

Fieldstone Electric Fireplace Mantel

Product Dimensions (WxHxD) 54-5/8 × 42-5/8 × 12-7/8 in 138.8 × 108.3 × 32.7 cm

Carton Dimensions (WxHxD) $22-5/8 \times 58-1/8 \times 14-7/8$ in $57.5 \times 147.5 \times 37.5$ cm

Packaged Weight 142 lbs / 64.3 kg

UPC 781052122659



Includes:

XHD28L

28" Nova Firebox

Product Dimensions (WxHxD) 27-3/8 × 23-1/2 × 7-1/2 in 69.5 × 59.7 × 18.9 cm

Carton Dimensions (WxHxD) 30 × 26-7/8 × 11-1/8 in 76.0 × 68.0 × 28.0 cm

Packaged Weight 36.5 lbs / 16.6 kg

UPC 781052110847

Mantel and firebox ships in two cartons





Traditional Design

The vintage crown moldings, classically crafted pilasters, and breakfront facade add depth and character to the classic mantel style.

Timeless Focal Point

The brick-look finish and classic accents, create a stunning base for treasured memories.

Simple Comfort

Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.

Royce Electric Fireplace Mantel





GDS28L8-1924SK

Royce Electric Fireplace Mantel

Product Dimensions (WxHxD) 52 × 37-3/8 × 12-3/8 in 132.0 × 94.8 × 31.5 cm

Carton Dimensions (WxHxD) 55-1/8 × 14-7/8 × 17-1/8 in 140.0 × 37.5 × 43.5 cm

Packaged Weight 71.5 lbs / 32.4 kg

UPC

781052121447



Includes:

XHD28L

28" Nova Firebox

Product Dimensions (WxHxD) 27-3/8 × 23-1/2 × 7-1/2 in 69.5 × 59.7 × 18.9 cm

Carton Dimensions (WxHxD) $30 \times 26-7/8 \times 11-1/8$ in $76.0 \times 68.0 \times 28.0$ cm

Packaged Weight 36.5 lbs / 16.6 kg

UPC 781052110847

Mantel and firebox ships in two cartons

Ordering SKU Index

Ignite® Evolve	pg 4		
Model Number	Order Number		
EVO50	500002573		
EVO60	500002574		
EVO74	500002608		
EVO100	500002563		
XLFTRIM50	X-XLFTRIM50		
XLFTRIM60	X-XLFTRIM60		
XLFTRIM74	X-XLFTRIM74		
XLFTRIM100	X-XLFTRIM100		
Ignite® Bold	pg 6		
Model Number	Order Number		
XLF5017	X-XLF5017-XD		
XLF6017	X-XLF6017-XD		
XLF7417	X-XLF7417-XD		
XLF8817	X-XLF8817-XD		
XLF10017	X-XLF10017-XD		
XLFXDLINK	X-XLFXDLINK		
XLFXDPLUG	X-XLFXDPLUG		
Ignite XL®	pg 8		
Model Number	Order Number		
XLF50	X-XLF50		
XLF60	X-XLF60		
XLF74	X-XLF74		
XLF100	X-XLF100		
LF50DWS-KIT	X-LF50DWS-KIT		
LF74DWS-KIT	X-LF74DWS-KIT		
LF100DWS-KIT	X-LF100DWS-KIT		
XLFTRIM50	X-XLFTRIM50		
XLFTRIM60	X-XLFTRIM60		
XLFTRIM74	X-XLFTRIM74		
XLFTRIM100	X-XLFTRIM100		
Slim Linear	pg 10		
Model Number	Order Number		
PLF3614-XS	X-PLF3614-XS		
PLF4214-XS	X-PLF4214-XS		
PLF5014-XS	X-PLF5014-XS		
PLF6014-XS	X-PLF6014-XS		
PLFXSPLUG	X-PLFXSPLUG		
SIL	pg 12		
Model Number	Order Number		
SIL48	X-SIL48		
SIL60	X-SIL60		
SIL72	X-SIL72		
OIL, Z	,, OIL, Z		

Revillusion®	pg 16		
Model Number	Order Number		
RBF24DLX	X-RBF24DLX		
RBF24DLXWC	X-RBF24DLXWC		
RBF30-FG	500002388		
RBF30WC-FG	500002389		
RBF36-FG	500002400		
RBF36WC-FG	500002401		
RBF36P-FG	500002398		
RBF36PWC-FG	500002399		
RBF42-FG	500002410		
RBF42WC-FG	500002411		
RBF24TRIM36	X-RBF24TRIM36		
RBF24TRIM40	X-RBF24TRIM40		
RBF30TRIM38	X-RBF30TRIM38		
RBF30TRIM44	X-RBF30TRIM44		
BF Series	pg 18		
Model Number	Order Number		
BFSL33	X-BFSL33		
BF33DXP	X-781052045781		
BF39STP	X-BF39STP		
BF39DXP	X-BF39DXP		
BF45DXP	X-BF45DXP		
BFDOOR33BLKSM	X-BFDOOR33BLKSM		
BFDOOR39BLKSM	X-BFDOOR39BLKSM		
BFDOOR45BLKSM	X-BFDOOR45BLKSM		
BFGLASS33BLK	X-BFGLASS33BLK		
BFGLASS39BLK	X-BFGLASS39BLK		
BFGLASS45BLK	X-BFGLASS45BLK		
BFSL33DOOR	X-BFSL33DOOR		
BFSDOOR33BLK	X-BFSDOOR33BLK		
BFSDOOR39BLK	X-BFSDOOR39BLK		
BF4TRIM33	X-BF4TRIM33		
BF4TRIM39	X-BF4TRIM39		
BF4TRIM45	X-BF4TRIM45		
BFPLUGE	X-BFPLUGE		
BFRC-KIT	X-BFRC-KIT		

Nova	pg 20		
Model Number	Order Number		
XHD23G	X-XHD23G		
XHD23L	X-XHD23L		
XHD26G	X-XHD26G		
XHD26L	X-XHD26L		
XHD28G	X-XHD28G		
XHD28L	X-XHD28L		
XHD33G	500001757		
XHD33L	500001756		
DF Series	pg 22		
Model Number	Order Number		
DF3033ST	X-DF3033ST		

47 dimplex.com

Ordering SKU Index

Optimyst [®] Linear	pg 26		
Model Number	Order Number		
OLF46-AM	X-136786		
OLF66-AM	X-136793		
OLF86-AM	X-136809		
Optimyst® Cassette	pg 28		
Model Number	Order Number		
CDFI500-PRO	X-2113053		
CDFI1000-PRO	X-2112612		
Optimyst® Pro Box	pg 30		
Model Number	Order Number		
GBF1500-PRO	X-GBF1500-PRO		
GBF1000-PRO	X-GBF1000-PRO		
Optimyst® Accessories	pg 32		
Model Number	Order Number		
Model Number GBF1000-GLASS	Order Number X-GBF1000-GLASS		
GBF1000-GLASS	X-GBF1000-GLASS		
GBF1000-GLASS GBF1500-GLASS	X-GBF1000-GLASS X-GBF1500-GLASS		
GBF1000-GLASS GBF1500-GLASS CDFILOG	X-GBF1000-GLASS X-GBF1500-GLASS X-206176		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT CDFI-TMHEAT	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213 X-CDFI-TMHEAT		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT CDFI-TMHEAT CDFI1000-DWSKIT	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213 X-CDFI-TMHEAT X-CDFI1000-DWSKIT		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT CDFI-TMHEAT CDFI1000-DWSKIT CDFI500-DWSKIT	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213 X-CDFI-TMHEAT X-CDFI1000-DWSKIT X-CDFI500-DWSKIT		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT CDFI-TMHEAT CDFI1000-DWSKIT CDFI500-DWSKIT	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213 X-CDFI-TMHEAT X-CDFI1000-DWSKIT X-CDFI500-DWSKIT X-CDFI500-BLKRCK		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT CDFI-TMHEAT CDF11000-DWSKIT CDF1500-DWSKIT CDF1500-BLKRCK CDF11000-BLKRCK	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213 X-CDFI-TMHEAT X-CDFI1000-DWSKIT X-CDFI500-DWSKIT X-CDFI500-BLKRCK X-CDFI1000-BLKRCK		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT CDFI-TMHEAT CDFI1000-DWSKIT CDFI500-DWSKIT CDFI500-BLKRCK CDFI1000-BLKRCK	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213 X-CDFI-TMHEAT X-CDFI1000-DWSKIT X-CDFI500-DWSKIT X-CDFI500-BLKRCK X-CDFI1000-BLKRCK X-CDFI500-RVRCK		
GBF1000-GLASS GBF1500-GLASS CDFILOG CDFIPLUMB-KIT CDFI-TMHEAT CDFI1000-DWSKIT CDFI500-BLKRCK CDFI1000-BLKRCK CDFI500-RVRCK CDFI1000-RVRCK	X-GBF1000-GLASS X-GBF1500-GLASS X-206176 X-206213 X-CDFI-TMHEAT X-CDFI1000-DWSKIT X-CDFI500-BLKRCK X-CDFI1000-BLKRCK X-CDFI500-RVRCK X-CDFI1000-RVRCK		

Revillusion® Log Sets	pg 36	
Model Number	Order Number	
RLG20	X-RLG20	
RLG25	X-RLG25	
REM-KIT	X-REM-KIT	
Fireplace Inserts	pg 38	
Model Number	Order Number	
DFI2309	X-DFI2309	
DFI2310	X-DFI2310	
DFI23TRIMX	X-DFI23TRIMX	

Mantels	pg 42-46		
Model Number	Order Number		
GDS28L8-1152LR	X-GDS28L8-1152LR		
GDS28L8-904ST	X-GDS28L8-904ST		
GDS28L8-1924SK	X-GDS28L8-1924SK		

Notes			

49 dimplex.com

™Dimplex®

Experience Better Living.





Experience Better Living.

dimplex.com

LI-1045-R04-112723